

Mobile Accessories

Audio Accessories

Hands-Free Microphone

Attaches to vehicle's visor, enables convenient hands-free phone conversations.

FMN1611C Hands-free microphone for all models

FLN8834A Remote PTT for all models



Handset

Contains full backlit keypad. earpiece, microphone and speaker, 3 line 11 character backlit display. Mounts easily on a hang-up cup. Handset label sold separately.

HLN6519A Motorola Label FLN2270A Handset for LM2000 only



Speakers

HSN4029A 5.5" external dash mount speaker provides louder audio for in-vehicle listening, 7.5 watt audio power, adjustable angle mounting trunnion. Supplied with accessories plug for connection to mobile accessory connector. For LM100



HSN4029A

HSN4030A 5.5" external remote mount speaker provides louder audio for in-vehicle listening, 7.5 watt audio power, adjustable angle mounting trunnion. Supplied with connector to remote connection cable. For LM2000

Audio Accessories



Desk Microphone

Allows dispatcher to conveniently dispatch calls from desktop control station. For use with dispatch-only mobiles.

HMN4060B Desk Microphone for LM100 only

Desktop Cradle

Contains built-in microphone, speaker, and PTT. Enables hands-free operation for phone; enables on-hook dispatch calls.Cradle label sold separately.

HLN6521A Motorola Label FLN2320A Desktop Cradle

Miscellaneous Accessories

External Call Alert Alarm

Alerts user via vehicle's horn and/or lights that an incoming phone call, call alert, or private call is being received.

HLN6542A External Call Alert Alarm for all models



Hang-Up Clips/Cups

HLN9073B Hang-Up Clip for Compact Mic; for LM100 only



FLN2268B

FLN2268B Hang-Up Cup for Data Capable Mobiles ONLY. Mounts in vehicle to provide convenient storage location for handset; features built-in light for easy night viewing of handset. supports 4-wire data ONLY; for LM2000 only

HLN6537B Hang-Up Cup Bracket with adjustable angle mounting; for LM2000 only



Accessories, Antennas

Miscellaneous Accessories

Radio Trunnion



FLN8212B Radio Trunnion, compatible with dash, trunk, and under seat mounting; can be tilted to change viewing angle; for all models

HLN6536A Radio Trunnion Key Lock provides additional security to mobile unit; covers mounting trunnion's (FLN8212) screws; for all models

Cables

HKN6123A Replacement Cable; connects handset to external desktop cradle with speaker; for LM2000 only

Handset Connection Cable; for LM2000 only

HKN6124A Handset Connection Cable, 5 meter

HKN6125A Handset Connection Cable, 3 meter

HKN6131A Handset Connection Cable, 7 meter

HKN6103A Ignition Sense Cable, 6'; connects radio to ignition switch terminal; for all models



Remote Connection Cable supplies all connection for remote mounted radio, connects accessory connector to hang-up cup, enables connection of hands-free mic and external speaker. Includes wires for ignition sense, external alarm, remote PTT; for LM2000 only.

FKN4130B Remote Connection Cable, 3 meter **FKN5050B** Remote Connection Cable, 5 meter **FKN4131B** Remote Connection Cable, 7 meter

Antennas



Part Number: HAF4002A
Frequency: 806-900 MHz
Power: 100 watts
Gain: Unity
Impedance: 50 ohms

Mounting Kit: Roof Mount with

14' RG58A/U Cable and Mini-UHF Connector Nut: Chrome

Part Number: HAF4003A
Frequency: 806-900 MHz
Power: 100 watts
Gain: Unity
Impedance: 50 ohms
Mounting Kit: Trunk Lip Mount

with 14'
RG58A/U Cable
and Mini-UHF
Connector
Nut: Chrome

Part Number: RRA4914B
Frequency: 806-900 MHz
Power: 100 watts
Gain: 3 dB
Impedance: 50 ohms

Mounting Kit: Roof Mount with

RG58A/U Cable and Mini-UHF Connector Nut: Stainless Steel

Part Number: **RRA4990A**Frequency: 806-900 MHz
Power: 100 watts
Gain: 3 dB

Mounting Kit: Roof Mount with

Impedance: 50 ohms

RG58A/U Cable and Mini-UHF Connector Nut: Black Chrome







Antennas

Antennas

Part Number: RRA4983A
Frequency: 806-900 MHz
Power: 100 watts
Gain: 3 dB
Impedance: 50 ohms

Mounting Kit: Roof Mount with

Low Loss Cable and Mini-UHF Connector Nut: Stainless Steel

Part Number: **RRA4986A**Frequency: 806-900 MHz
Power: 100 watts
Gain: 3 dB

Impedance: 50 ohms Mounting Kit: Roof Mount with

Low Loss Cable and Mini-UHF Connector

Nut: Black Chrome

Part Number: RRA4923B

Frequency: 806-900 MHz Power: 100 watts Gain: 3 dB Impedance: 50 ohms

Mounting Kit: Trunk Lip Mount

with RG58A/U Cable and Mini-UHF

Connector Nut: Stainless Steel

Antennas

Part Number: RRA4921C
Frequency: 806-900 MHz
Power: 100 watts
Gain: 3 dB
Impedance: 50 ohms
Mounting Kit: Magnet Mount

with RG58A/U Cable and Mini-UHF Connector Nut: Stainless Steel

ivut: Stainless Stee

Part Number: RRA4976B
Frequency: 806-900 MH
Power: 100 watts
Gain: 3 dB
Impedance: 50 ohms
Mounting Kit: Magnet Mount

with RG58A/U Cable and Mini-UHF Connector Nut: Black Chrome

Part Number: RAF4136AMM
Frequency: 806-860 MHz
Power: 15 watts
Gain: 3dB
Impedance: 50 ohms
Mounting Kit: Magnet Mount

with 12' RG174/U Cable and Mini-UHF Connector







Service Aids, Manuals

Service Aids

Cables

HKN6604B DC Power Cable; supplies DC to radio, 3 meter; for all models

HKN6605B DC Power Cable; supplies DC to radio, 7 meter; for all models

3080373B42 Mini UHF to N RF Cable; connects antenna port to RF test equipment

Adapter

5880367B21 Mini UHF Male to N Female Adapter; connects antenna port to RF test equipment

Test Equipment

RLN4460C Audio Test Box; provides interface to radio to allow connection to test equipment

R1576A Digital Test Meter; measures AC and DC voltages

Service Aids

Programming Equipment

FLN2196B Flash/Interface Programming Cable connects mobile to the RIB

3080369B72 PC Cable: 9 Pin; connects the RIB to 9 pin computer port

3080369B71 PC Cable: 25 Pin; connects the RIB to 25 pin computer port

RLN4008E Radio Interface Box (RIB); provides electrical interface between the radio and the computer





0180357A57

provides a 110V AC power source for the RIB

0180357A57 RIB Power Supply, 110V;

0180358A56 RIB Power Supply, 220V; provides a 220V AC power source for the RIB

RVN4121K Radio Service Software - US Carriers Only; provides programming and diagnostic functionality for carriers or carrier authorized customers only

RVN4122K Radio Service Software - US Dealers Only; provides programming and diagnostic functionality. Non US customers should contact their carrier

REX1174A Programming Kit; contains FLN2196, RKN4066, RLN4008, 0180357A57, 3080369B71

REX1173A Programming Cable Kit; contains FLN2196, RKN4066; combines mobile and portable programming cables

Manuals

6881083C11 Basic Service Manual for: c370, c470, m100,

LM100, LM2000, LM3000E, m370, m470

6881083C13 Field Service Manual for: c370, c470, m100,

LM100, LM2000, LM3000E, m370, m470

