

Replacement parts are no longer available





Parts List


Radi	o Set	Mechanica	l Parts (Dash	Mount	[.] Versio	n)	
REF. NO. PART N	NO.	DESCRIPTION		REF. NO.	PART NO.	DESCRIPTION	
			<i>Cancelled Product MCX1000: Aftermarket support criteria has been met for spare parts. Items are no longer available.</i>				







Parts List



Replacement parts are no longer available





Parts List

Radio Se	et Mechanica	al Parts (Remote	e Mount Vers	ion)
ref. No. Part No.	DESCRIPTION		REF. NO. PART NO.	DESCRIPTION
		<i>Cancelled Product MCX1000: Aftermarket support criteria has been met for spare parts. Items are no longer available.</i>		





Accessories, Antennas

Mounting Bracket

VLN4777A Hinged Mounting Bracket; includes installation hardware

Antennas

Motorcycle Antennas



Part Number: RAD4005ARB Frequency: 162-174 MHz Power: 150 watts Gain: Unity VSWR: Less than 1.5:1 Impedance: 50 ohms, nominal Mounting Kit: 8' RG58A/U, Mini-UHF Connector

nominal

nominal

Mini-UHF Connector

Mini-UHF Connector



Antennas

Part Number: RAE4024ARB Frequency: 450-482 MHz Power: 150 watts Gain: Unity VSWR: Less than 1.5:1 Impedance: 50 ohms, nominal Mounting Kit: Roof Mount 8' RG58A/U,

MOTOROLA

intelligence everywhere"

Part Number: RAF4011ARB

Frequency: 806-866 MHz Power: 150 watts Gain: 3 dB VSWR: Less than 1.5:1 Impedance: 50 ohms, nominal Mounting Kit: 8' RG58A/U, **Mini-UHF** Connector

Mini-UHF Connector

Motorcycle Antenna Installation

Kit: 0180355A50

Battery Cable Adapter

RAF4011ARB

6680388A13 Side Mount Battery Cable Adapter



6680388A13







Service Aids, Manuals

Service Aids

Programming Software

Utilizing your personal computer, this software enables you to add or reprogram frequencies as your requirements change. Compatible with IBM XT, AT, Model 30, 50, 60, and 80. Requires Radio Interface Box and appropriate cables; must be ordered separately.

Conventional

 ${\bf RVN4011B}$ Programming Software, 3-1/2" Diskette (includes binder and manual)

Marine

RVN4063A Marine MCX1000 Programming Software, 3-1/2^{*m*} Diskette (includes binder and manual)

Radio Interface Box (RIB)

Links radio programming cable and computer interface together. Provides required voltage shift to enable communications between radio and computer. Requires computer interface



cable, radio programming cable, and a 9-volt snap type battery (6082728J01) or wall mount power supply; order separately.

RLN4008E Radio Interface Box

Wall Mounted Power Supply

Used to supply power to the Radio Interface Box. 0180357A57 Wall Mounted Power Supply (110 volts) 0180358A56 Wall Mounted Power Supply (220 volts)

Service Aids

Computer Interface Cable

Used to connect computer's serial adapter to Radio Interface Box. **3080369B71** Computer Interface Cable; RIB to 25 pin D **3080369B72** Computer Interface Cable; RIB to 9 pin D

Programming Cable

Required to program radio, acts as a link between RIB and radio. **3000056M01** Programming Cable

Manuals

136-174 MHz

6802902A56	MCX1000 30/40 W Mobile Radio Service Manual MBD/MBT43URA Series
6802902A57	403-470 MHz MCX1000 30 W Mobile Radio Service Manual MBD/MBT44URA Series
6802901A91	Owner's Manual (for all frequency ranges) MCX1000 Instruction Manual (English–Installation and Operation)
6802902A30	<i>Miscellaneous</i> MCX1000 Radio Service Software Program Manual

