

Replacement parts are no longer available





Parts List

REF.			REF.			
NO.	PART NO.	DESCRIPTION	NO.	PART NO.	DESCRIPTION	

Cancelled Product MTX900: Aftermarket support criteria has been met for spare parts. Items are longer be available.





Portable Accessories

Chargers

A variety of chargers are available to fit the charging capabilities of your batteries. Choose rapid or regular rate, single, multiple or compact units.

Single Unit

NTN4633C Single Unit, Rapid Rate Charge, 117V

NTN4634B Single Unit, Rapid Rate Charge, 220V



NTN4636A Single Unit, Regular Rate Charge, 220V

De same

NTN4666B

Compact

NTN4666B Compact, Regular Rate Charge, 117V


NTN4667A Compact, Regular Rate Charge, 220V

Battery Maintenance System Plus (BMS Plus)

Using interchangeable battery adapters (sold separately), the BMS^{plus} is capable of charging and discharging, analyzing, conditioning and cycle test on batteries; tracking battery voltage and capacity (mAh).

The BMS^{plus} offers a 3 year warranty. Its easy-to-use design supports hundreds of 2-way, cellular, and camcorder batteries with printer port* (Serial-RS-232C port – uses female 9-pin to male 25-pin cable).

WPLN4079BR Six-Station, 110V AC, 50/60 Hz **WPLN4080BR** Six-Station, 230V AC, 50/60 Hz



WPLN4079BR

BMS^{plus} Adapter

TDN9441A Standard Adapter, MTX-900

Multiple Unit

NTN4668C Multi-Unit Charger, Rapid Rate, 117V

NLN7967A Wall Mount for Six Unit Charger





Vehicular Charger

NTN5438A Vehicular Charger 12V DC (16 Hour Charge Rate)

NKN6428A 12V Cable Kit. (Only required if not used with PAC • RT)

^{*}Compatible with the STAR Micronics SP200 series printers, available from any STAR Micronics distributor, and other printers with STAR emulation.



Portable Accessories

Battery Optimizing System II (BOS II)



WPLN4124AR

No other battery analyzer matches the speed, accuracy, and versatility of the Battery Optimizing System II. Ideal for large fleet, public safety, and all other users who rely on their battery performance. Now with increased power, more sophisticated programming options, and easier to use navigation paths, optimizing your batteries was never easier. Key features include:

- Support for NiCd, NiMH, Li-ion, and SLA batteries
- 100 watt power supply and programmable from 100 mAH to 4 amps per station
- Interchangeable adapters accomodate all major brands
- Includes a variety of user programs and allows for customizable programming
- Proprietary recondition cycle restores NiCd and NiMH batteries
- Increased processing power and testing resolution including a three minute Quicktest that measures the batteries State of Health (SoH)
- Printer output for reports and labels
- Three year warranty

WPLN4124AR BOS II, Four-Station, 100-240V AC (US line cord) **WPLN4125AR** BOS II, Four-Station, 100-240V AC (UK/Euro line cords)

BOS II Adapter

RL-71173 Standard Adapter, MTX900

Motorola Conditioning Charger (MCC)

The MCC will help extend battery life and enhance battery operation. It will safely condition and charge your specified Nickel Cadmium (NiCd) and Nickel Metal Hydride (NiMH) batteries in approximately an hour.

WPPN4009BR 110V AC Base Charge Unit with adapter plate



WPPN4009BR

3080384G15 Cigarette Lighter Adapter Cord

RLN4814A Mounting Bracket for single unit conditioning chargers





Portable Accessories

Carrying Accessories

Carrying Cases

A variety of carrying accessories are available for your comfort and convenience. The carrying cases are available in sizes designed to fit your radio & battery and permit audio to be heard clearly.



Standard

NTN5460B Leather Carrying Case, Spacer and T-Strap, for High or Medium Capacity Batteries (Snap)



Swivel

NTN5461B Leather Carrying Case with T-Strap, Spacer and Belt Loop, for High or Medium Capacity Batteries (Snap)

NTN5450B Leather DTMF Swivel Long (Snap)



NTN5461B



Belt Clip Carry Holder NTN4814C Belt Clip Carry Holder

NTN4814C

Carrying Accessories

T-Straps

4205386S03 T-Strap, Snap **4205386S01** T-Strap, Velcro

4205447R03 T-Strap for Belt Clip Carry Holder, Snap







Chest Pack

HLN6602A Universal Chest Pack with Radio Holder and Velcro Secured Pocket

1505596Z02 Replacement Strap for HLN6602A

RadioPAK™

RLN4815A Universal RadioPAK™ with Radio Holder. Worn around waist with adjustable belt. Includes attached 6" by 8" zippered pouch for other job necessities

4280384F89 Universal RadioPAK™ belt lengthener; fits waists larger than 40″

RLN4570A Break-A-Way Chest Pack; all of the same features as the original chest pack (HLN6602A) plus break-a-way tabs that allow that allow the entire pack to be pulled off with approximately 10 lbs of pressure.



Portable Accessories

Carrying Accessories

Spacer

4305525R02 Spacer for Carrying Cases



4305525R02



Belt Clips

NTN4916B Belt Clip, 1-1/2"

NTN4924B Belt Clip, 2-1/4"

NTN5602A Public Safety Full 3" Clip Black Aluminum

Belt Loops

4282421J06 Swivel Belt Loop, 2-1/2" **4205857B01** Swivel Belt Loop, 2"



Button Back Cover Kit

NTN5497A T-Bar **Button Back Cover** Kit, Black



4282421J06

Belt

4200865599 2" Wide Leather Belt, for all models



Portable Radio Hanger

The portable radio hanger slides over and hangs from the door panel in a vehicle. The radio's belt clip slides onto the portable hanger allowing convenient, easy mounting. Two sizes are available to fit door panels.

TDN9327A Portable Radio Hanger for Door Panels up to 2-3/4"

TDN9373A Portable Radio Hanger for Door Panels 2-3/4" to 3-1/4"



Audio Accessories

Remote Speaker/ Microphone

NMN6156B Remote Speaker Microphone with Coil Cord, Clip Back

NMN6145B Remote Speaker Microphone with Clip, Coil Cord, and 2.5 mm Earphone Jack

NMN6129B UHF Public safety microphone (Antenna and velcro patch must be ordered separately)

NLN8410A Velcro Pin Patch Attachment

Epaulet Strap

Black leather epaulet straps secure remote speaker microphones to epaulet of shirts or jackets and attach around cord. Allows reliable communications in hostile environments with Velcro or clip style strap.

RLN4294A Epaulet Strap, Velcro

RLN4295A Epaulet Strap, Small Clip







RLN4294A



RLN4295A





Portable Accessories

Audio Accessories

Earpiece

5083693B01 Earpiece and Volume Control (requires NTN4812B)

5083693B04 Earpiece and Volume Control (3.5 mm)

Ear Receiver

BDN6717B Ear receiver with 3.5 mm plug, to be used with adapter NTN4812B



Earphone Jack Adapter



Ear Microphone System

This compact unit picks up the voice through bone vibrations in the ear canal. Ideal for use in high noise environments. Available in PTT or Voice-activated (VOX) capabilities for total hands free communications. Order Interface Module separately.

BDN6677A

***BDN6677A** Ear Microphone for Standard Noise Levels (up to 95 db), Black

***BDN6678A** Ear Microphone for Standard Noise Levels (up to 95 db), Beige

***BDN6641A** Ear Microphone for High Noise Levels (up to 105 db), Grey



BDN6641A (Shown with BDN6680B)

Interface Module

*BDN6679B Push-To-Talk Interface Module

*BDN6680B Voice-Activated Interface Module

Audio Accessories

Optional Accessories

*0180358B38

Remote Push-To-Talk Ring Switch

0180300E25 Earguard with Adjustable Loop



0180358B32 Earholder, Black, Size Small; secures ear mic in ear

0180358B33 Earholder, Black, Size Medium; secures ear mic in ear

0180358B34 Earholder, Black, Size Large; secures ear mic in ear

0180358B35 Earholder, Clear, Size Small; secures ear mic in ear

0180358B36 Earholder, Clear, Size Medium; secures ear mic in ear

0180358B37 Earholder, Clear, Size Large; secures ear mic in ear



0180358B33

4280369E44 Replaceable Belt Clip with Screws

5080358B28 Eartips, Black, Size Medium (10 per pack)

5080358B29 Eartips, Black, Size Large (10 per pack)

5080358B30 Eartips, Beige, Size Medium (10 per pack)

5080358B31 Eartips, Beige, Size Large (10 per pack)

Optional Surveillance

ZMN6031A Three wire surveillance accessory with earpiece, microphone and push-to-talk as separate pieces. Factory Mutual Approved. Requires NTN5075B.



^{*} Intrinsically safe



Portable Accessories

Audio Accessories

ZMN6032A Two-wire surveillance accessory with earpiece microphone and push-to-talk. Microphone and PTT are combined. Factory Mutual Approved. Requires NTN5075B



NTN5075B Hirose Adapter for two-and three-wire Surveillance Accessories.

ZMN6032A

Noise Kits

Lightweight translucent tube attaches to Motorola surveillance accessories. Clothing clip prevents the accessory from being pulled from the ear due to body movement or head rotation.

NTN8370A Extreme Noise Kit, includes 2 foam earplugs for loud environments

NTN8371A Low Noise Kit, includes rubber eartip for low noise environments

5080384F72 Replacement Foam Plugs. Pack of 50 (for use with NTN8370A)

5080371E73 Replacement Standard Rubber Eartips. Pack of 25 (for use with NTN8371A), beige



C

RLN4763A

Clear Comfortable Earpiece

The clear comfortable earpiece forms to the inside of your ear and is perfect for low noise environments. Compatible with the NTN8371A, clear acoustic tube assembly, and most surveillance kits (1-, 2- and 3-wire). This earpiece is made of easy-to-clean chemically inert,

hypoallergenic material.

There are 3 items needed to make this product work:

- 1. Clear Comfortable Earpiece
- 2. Clear Acoustic Tube Assembly (NTN8371A)
- 3. Surveillance Kits

RLN4760A Small Custom Earpiece, right ear

RLN4763A Small Custom Earpiece, left, ear

RLN4761A Medium Custom Earpiece, right ear

RLN4764A Medium Custom Earpiece, left ear

RLN4762A Large Custom Earpiece, right ear

RLN4765A Large Custom Earpiece, left ear

Audio Accessories

Headsets

All headset accessories include radio cables and can be plugged directly into radio. No additional equipment is required.

Low to Moderate Noise Levels (Up to 90 dB)

Lightweight headset with electret condenser microphone and single speaker.

Not for use with headgear.

BDN6477A In-Line Push-To-Talk

BDN6478A Pendant-Thumb Push-To-Talk



High Noise Levels (to 115 dB)

Noise-attenuating headset with military noise-cancelling microphone and dual speaker.

Not for Use With headgear

BDN6482A Pendant-Thumb Push-To-Talk

BDN6485A In-Line Push-To-Talk

Can be worn with or without hardhat or helmet

BDN6486A Pendant-Thumb Push-To-Talk







Portable Accessories

Audio Accessories

High noise level headset (up to 125 db)

Heavy-duty headset with noise cancelling microphone and push-to-talk switch located on earcup. VOX module contained within headset on voice activated units. Factory Mutual Approved. *NOTE*: Can be worn with or without hard hat or fire helmet.

BDN6639A Adapter Cable

BDN6645A Push-To-talk Headset with Boom Microphone, Requires Adapter Cable

BDN6635B Voice-Activated Headset with Boom Microphone, Requires Adapter Cable



BDN6636B Voice-Activated Headset with Throat Microphone, Requires Adapter Cable

BDN6639A)



BDN6636B (Shown with adapter cable BDN6639A)

Lightweight Headset

RMN4015A Lightweight Headset with Swivel Boom Microphone, Single Speaker and In-line PTT



Audio Accessories

Helmet Accessories

All helmet and face mask kits require a radio cable assembly.

Industrial Helmet Accessories

Hardhat kit includes military noise-cancelling microphone. Choice of single or dual speaker, for use with the Bullard 302/303. Requires one of the following cable kits.

Single Speaker

BDN6275A Helmet Kit

Police Helmet Accessories

Police helmet kit has military noise-cancelling microphone with choice of single or dual speaker.

Single Speaker

BDN6362A Bell SD600 (BT600) 1/2 Shell Helmet Kit **BDN6277A** Seer 1601,1602 Helmet Kit

Dual Speaker

BDN6363A Bell SD600 (BT600) 1/2 Shell Helmet Kit

BDN6492A Cable Kit, Includes transmit switch, volume control, microphone electronics, and remote push-to-talk jack built into a belt-mounted control box

BDN6292A Handlebar PTT switch for belt mounted control box (For use with BDN6492 Cable Kit)





Portable Accessories, Antennas

Vehicular Adapter Portable Antennas

The Basic MVA console kits may be ordered separately. These items allow use of the portable radio in a mobile application. Order antenna separately.

NSN6054A 12-Watt External Speaker

HMN1056D Microphone, Compact Palm

6

HMN1035C Microphone, Heavy-Duty Palm

NSN6054A

HMN3013A Microphone, DTMF



Flexible Whip Antenna

Flexible Whip antennas have a one-piece finish and steel core for optimal radiation characteristics. Provides more comfort when radio is worn on the belt.

8505241U04

Flexible Whip, 896-941MHz, 7"

Vehicular Antenna Kit

Allows user to convert their portable radio into a mobile application. Comes complete with Mobile Antenna, Cable, Custom Adapter and Connector.

RAF4001ARG

Vehicular Antenna Kit

Dipole Antenna

Dipole molded antennas are injection molded in lasting polyurethane. The wide skirt at the bottom of the connector protects against damaging environmental elements. The dipole antenna is ideal when strong and solid signal clarity is demanded.



Dipole, 896-941MHz, 8"

Stubby Antennas

This quarterwave stubby antenna is ideal when radio is worn on the belt because the short antenna is non-obtrusive.

*8505241U06

Stubby, 806-941MHz, 4"



8505884R02



^{* 8505241}U06 is a broad band antenna that operates in the 800/900 MHz band.



Batteries, Service Aids

Portable Batteries

Nickel-Cadmium Premium

Part Number: NTN4823BR

Volts: 10 Avg. mAh: 550 Height: 2-7/16" Intrinsically Safe: Yes

Part Number: NTN5447BR

Volts: 10 Avg. mAh: 1100 Height: 3-5/16" Intrinsically Safe: No

Part Number: NTN5448BR

Volts: 10
Avg. mAh: 1000
Height: 3-5/16"
Intrinsically Safe: Yes



NTN4823BR

Service Aids

Battery Eliminator

The battery eliminator acts like a battery with a cable to access a DC external power supply. It is ideal to inspect transmitters and receivers on incoming radios. Reverse supply polarity protection and input fuse protection are provided.



RTL4226B

RTL4226B Battery Eliminator

Radio Interface Box

Links radio programming cable and computer interface together. Provides required voltage shift to enable communications between

radio and computer. Requires computer interface cable, radio test and programming cable and 9 volt snap type battery (6082728J01), order separately.

RLN4008E Radio Interface Box



RLN4008E

Nickel Metal Hydride Premium

Part Number: NTN7015A

Volts: 10 Avg. mAh: 950 Height: 2-7/16" Intrinsically Safe: No



3080369B71

Computer Interface Cable

Used to connect computer's serial adapter to Radio Interface Box.

3080369B71 Cable, RIB to 25 pin D

3080369B72 Cable to 9 pin D

Alkaline

Part Number: NTN4870B

Volts: (NA)
Avg. mAh: 2100
Height: 3-5/16"
Intrinsically Safe: No

Wall Mounted Power Supply

Used to supply power to radio interface box, RLN40008E

0180357A57 Wall Mounted Power Supply, 110 Volts **0180358A56** Wall Mounted Power Supply, 220 Volts





Service Aids, Tools, Manuals

Service Aids

Radio Test and Programming Cable

Cable Used with Portable Radio Test Set, RTX4005, for transmitter, receiver alignment and performance checks. Also used in programming radio.

RTK4205C Test and Programming Cable

Battery Adapter



Replaces radio housing during servicing and provides easy mounting for battery eliminator, RTL4226B.

1580368B62 Battery Adapter

Field Modification Kit

Allows for quick field modification of RTX4005 "A" test sets to provide operation with MTX800 Radios.

RPX4665A Field Modification Kit RTX4005A



Service Tools

SMA to BNC Adapter

5880384G68 SMA to BNC Adapter

Programming Software

Utilizing your personal computer, this software enables you to add/or reprogram frequencies as your requirements change. Requires Radio Interface Box and proper cables, order separately.

RVN4033J Programming Software, 3-1/2" diskette (includes manual and storage box)

Tuning Tool

6605106N01 Tuning Tool, Adjusts Tunable Coils and Potentiometers

6605106N01



Torque Screwdriver

RSX4043A Torque Screwdriver, Order Bits Separately

6680371B34 Spanner Bit, for Antenna Bushing Nut

6680371B03 Hex Nut Driver Bit, for Volume Pot and Rotary Switch Nuts

6680370B95 Spanner Bit, for Toggle Switch Spanner Nut

6680321B86 Phillips Bit #0 for Housing and Chassis Screws

6680342A66 Spanner Bit for Antenna Retainer Connector



Manuals

6881069C30 Service Manual

6881054C40 Theory/Maintenance Manual

6881054C35 Operating Conventional Manual/Trunked Manual

0180305J46 Ear Microphone System and Temple

Transducer CD-ROM



Over 7 million customers have made MyRadioMall.com America's #1 choice when it comes to dependable and reliable Motorola Communications at fantastic prices.

We are now celebrating our 12th year of online service and the best is yet to come.



Advanced Radio Systems, Inc 8726 NW 26 Street #6 Miami, Florida 33172

Voice Numbers: 305-884-1795 *Toll Free:* 1-866-900-Mall (6255) Fax Number: 305-884-1985